

Crema Marfil Brillo Glossy

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039158BR	30x90	2,70 M2			9 mm
AT3039DW158BR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL158BR	30x90	2,70 M2			10 mm Relieve Leaf



Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

					BIII EN 14411
ISO 10545-2	ISO 10545-2	ISO 10545-2	ISO 10545-3	ISO 10545-9	ISO 10545-14
± 0.1% / ± 2%	± 0.1%	± 0.2%	10%	Sin rotura - No crack	Clase 5
Diferencia Tamaño Size difference	Rectitud Lados Straightness of side	Horizont. Superficie Surface Flatness	Absorción de Agua Water Absorption	Resist. Choque Térmico Thermalshock Resist.	Resistencia Manchas Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes				Pallet		Espesor Thickness	
	PZ/CJ Pcs/Box	m²/CJ m²/Box	KG/CJ KG/Box	CJ/Pl Box/Pilt	m²/Pl m²/Pilt	KG/Pl KG/Pilt	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica

Pasta Blanca White Body	Rectificado Rectified	Junta Mínima Min Join	Revestimiento Wall	Projecto Digital Digital Project
Residencial Home	Baño Bathroom	Comercial Commercial	Brillo Glossy	Destonalizado Shade Variation

Pulpis Light Grey Brillo Glossy

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039088BR	30x90	2,70 M2			9 mm
AT3039DW088BR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL088BR	30x90	2,70 M2			10 mm Relieve Leaf



Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

BIII

EN 14411



ISO 10545-2

± 0.1% / ± 2%

Diferencia Tamaño
Size difference



ISO 10545-2

± 0.1%

Rectitud Lados
Straightness of side



ISO 10545-2

± 0.2%

Horizont. Superficie
Surface Flatness



ISO 10545-3

10%

Absorción de Agua
Water Absorption



ISO 10545-9

Sin rotura - No crack

Resist. Choque Térmico
Thermalshock Resist.



ISO 10545-14

Clase 5

Resistencia Manchas
Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes			Pallet			Espesor Thickness	
	PZ/CJ Pcs/Box	m ² /CJ m ² /Box	KG/CJ KG/Box	CJ/Plt Box/Plt	m ² /Plt m ² /Plt	KG/Plt KG/Plt	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica



Pasta Blanca
White Body



Rectificado
Rectified



Junta Mínima
Min Join



Revestimiento
Wall



Projecto Digital
Digital Project



Residencial
Home



Baño
Bathroom



Comercial
Commercial



Brillo
Glossy



Destonalizado
Shade Variation

Statuario Gold Brillo Glossy

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039528BR	30x90	2,70 M2			9 mm
AT3039DW528BR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL528BR	30x90	2,70 M2			10 mm Relieve Leaf




Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

BIII

EN 14411



ISO 10545-2

± 0.1% / ± 2%

Diferencia Tamaño
Size difference



ISO 10545-2

± 0.1%

Rectitud Lados
Straightness of side



ISO 10545-2

± 0.2%

Horizont. Superficie
Surface Flatness



ISO 10545-3

10%

Absorción de Agua
Water Absorption



ISO 10545-9

Sin rotura - No crack

Resist. Choque Térmico
Thermalshock Resist.



ISO 10545-14

Clase 5

Resistencia Manchas
Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes				Pallet		Espesor Thickness	
	PZ/Cj Pcs/Box	m²/Cj m²/Box	KG/Cj KG/Box	Cj/Plt Box/Plt	m²/Plt m²/Plt	KG/Plt KG/Plt	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica



Pasta Blanca
White Body



Rectificado
Rectified



Junta Mínima
Min Join



Revestimiento
Wall



Projecto Digital
Digital Project



Residencial
Home



Baño
Bathroom



Comercial
Commercial



Brillo
Glossy



Destonalizado
Shade Variation

Statuario Gold Natural Matt

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039S28MR	30x90	2,70 M2			9 mm
AT3039DW528MR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL528MR	30x90	2,70 M2			10 mm Relieve Leaf




Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

					BIII EN 14411
ISO 10545-2	ISO 10545-2	ISO 10545-2	ISO 10545-3	ISO 10545-9	ISO 10545-14
± 0.1% / ± 2%	± 0.1%	± 0.2%	10%	Sin rotura - No crack	Clase 5
Diferencia Tamaño Size difference	Rectitud Lados Straightness of side	Horizont. Superficie Surface Flatness	Absorción de Agua Water Absorption	Resist. Choque Térmico Thermalshock Resist.	Resistencia Manchas Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes			Pallet			Espesor Thickness	
	PZ/CJ Pcs/Box	m²/CJ m²/Box	KG/CJ KG/Box	CJ/Plt Box/Plt	m²/Plt m²/Plt	KG/Plt KG/Plt	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica

Pasta Blanca White Body	Rectificado Rectified	Junta Mínima Min Join	Revestimiento Wall	Proyecto Digital Digital Project
Residencial Home	Baño Bathroom	Comercial Commercial	Natural Matt	Destonizado Shade Variation

Statuario Silver Brillo Glossy

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039228BR	30x90	2,70 M2			9 mm
AT3039DW228BR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL228BR	30x90	2,70 M2			10 mm Relieve Leaf



Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

BIII

EN 14411



ISO 10545-2

± 0.1% / ± 2%

Diferencia Tamaño
Size difference



ISO 10545-2

± 0.1%

Rectitud Lados
Straightness of side



ISO 10545-2

± 0.2%

Horizont. Superficie
Surface Flatness



ISO 10545-3

10%

Absorción de Agua
Water Absorption



ISO 10545-9

Sin rotura - No crack

Resist. Choque Térmico
Thermalshock Resist.



ISO 10545-14

Clase 5

Resistencia Manchas
Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes				Pallet		Espesor Thickness	
	PZ/Cj Pcs/Box	m²/Cj m²/Box	KG/Cj KG/Box	Cj/Plt Box/Plt	m²/Plt m²/Plt	KG/Plt KG/Plt	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica



Pasta Blanca
White Body



Rectificado
Rectified



Junta Mínima
Min Join



Revestimiento
Wall



Projecto Digital
Digital Project



Residencial
Home



Baño
Bathroom



Comercial
Commercial



Brillo
Glossy



Destonalizado
Shade Variation

Statuario Silver Natural Matt

CÓDIGO CODE	FORMATO FORMAT	CARAS ALEATORIAS RANDOM FACES			
AT3039228MR	30x90	2,70 M2			9 mm
AT3039DW228MR	30x90	2,70 M2			10 mm Relieve Wave
AT3039DL228MR	30x90	2,70 M2			10 mm Relieve Leaf



Tabla Técnica | Technical Chart | Scheda Tecnica

Pasta Blanca | White Body | Pasta Bianca

BIII

EN 14411



ISO 10545-2

± 0.1% / ± 2%

Diferencia Tamaño
Size difference



ISO 10545-2

± 0.1%

Rectitud Lados
Straightness of side



ISO 10545-2

± 0.2%

Horizont. Superficie
Surface Flatness



ISO 10545-3

10%

Absorción de Agua
Water Absorption



ISO 10545-9

Sin rotura - No crack

Resist. Choque Térmico
Thermalshock Resist.



ISO 10545-14

Clase 5

Resistencia Manchas
Stain Resistance

Embalaje | Packing | Imballi

Formato Size	Cajas Boxes				Pallet		Espesor Thickness	
	PZ/CJ Pcs/Box	m²/CJ m²/Box	KG/CJ KG/Box	CJ/Pl Box/Pallet	m²/Pl m²/Pallet	KG/Pl KG/Pallet	mm	inch
30x90	4	1,08	19	72	77,76	1.368	9	3/8"
30x90 Relieve	4	1,08	19	72	77,76	1.368	10	7/8"

Características Técnicas | Technical Characteristic | Caratteristica Tecnica



Pasta Blanca
White Body



Rectificado
Rectified



Junta Mínima
Min Join



Revestimiento
Wall



Projecto Digital
Digital Project



Residencial
Home



Baño
Bathroom



Comercial
Commercial



Natural
Matt



Destonalizado
Shade Variation